Fairfacts Fixtures

SPECIAL PROCESS ACCESSORIES FOR THE BATHROOM

TRADE BATHROOM Fairfacts FIXTURES MARK

Catalogue F, 1925
Architects Edition

BATHROOM ACCESSORIES - Fairfacts - A.I.A. File No. 23i

SCOPE

Residences
Apartments
Hotels
Hospitals
Institutions
Office Buildings

UTILITY

Bathrooms
Toilet Rooms
Shower Rooms
Kitchens
Pantries
Laundries

Fairfacts Fixtures

SPECIAL PROCESS

TRADE BATHROOM Fairfacts FIXTURES MARK

GUARANTEED
FOR THE LIFE OF A BUILDING


No. 10225
BE SURE TO ASK YOUR TILE CONTRACTOR FOR THE FAIRFACTS GUARANTEE TAG ACCOMPANYING THIS FIXTURE
THE FAIRFACTS CO. Inc. 236 WEST 14th STREET, NEW YORK CITY
Guarantee Certificate
No. 10225
The Fairfacts Co., Inc.
236 WEST 14th ST., NEW YORK
Hereby guarantees to furnish a new bathroom fixture of similar kind if this fixture, during the life of the building where it is installed, develops any stains or hair-line cracks or other imperfections in the glazed surface. . . . . .
L. S. Baker
PRESIDENT
DATE INSTALLED BY
TILE CONTRACTOR
19

The Fairfacts Company

INCORPORATED

234-236 WEST FOURTEENTH STREET
NEW YORK CITY

CHICAGO · DETROIT · LOS ANGELES · PHILADELPHIA · SAN FRANCISCO
SALT LAKE CITY · WASHINGTON, D.C · HAVANA

Cable Address "FAIRFACTS" New York Codes A.B.C. Fifth Edition and Bentley's

COPYRIGHT BY THE FAIRFACTS CO., INC., FEB., 1925

Index

SUBJECT	PAGE
Title Page	1
Index	2
Foreword	3
Blue Bathroom	4
Gray Bathroom	5
Buff Bathroom	6
Green Bathroom	7
Plumbing Fixtures having Fairfacts Equipment	8

ALPHABETICAL LIST

A—Apartment Bldg. Specifications	29
B—Bars—Towel	13
Bathrooms—color illustrations	4, 5, 6, 7
Bathroom Plan	17
Bathroom Elevations	18
Bathroom Seats	14
C—Cigar Rest	14
Cigarette Rest	14
Comb and Brush Holder	14
Combined Safety Grips	10
Combined Soap Holders	10, 11
Combined Sponge Holders	11
Combined Strop Hooks	15
Combined Tooth Brush Holders	11
Combined Tooth Paste Holders	11
Combined Towel Hook	15
Combined Tumbler Holders	11
D—Detailed Description	21, 22, 23
Dimensions	31, 32
Door Stop	14
Douche Hooks	11, 15
Double Robe Hook	15
Double Soap Holders	9
E—Electric Bathroom Radiator	14
Electric Light Bracket	14
G—Glass Shelves	13, 15
Grips—Safety	10
H—Heater—Electric	14
Hooks—Douche, Robe, Strop, Towel	11, 15
Hospital Specifications	30
Hotel Specifications	29
L—Light Bracket—Electric	14
M—Medicine Cabinets	15
Mirrors	15
O—Office Bldg. Specifications	30
P—Paper Holders	12
R—Racks—Towel	13
Radiator—Electric	14
Residence Specifications	25, 26, 27, 28
Rewind Roll Paper Holders	12
Robe Hooks	11, 15
Roll Paper Holders	12
S—Safety Grips	10
Sanitary Tile Rings	14, 16
Seats—Bathroom	14
Sectional Views	16
Sheet Paper Holders	12
Shelves—glass	13, 15
Sizes	31, 32
Soap Holders	9
Specifications	24 to 30
Sponge Holders	11, 12
Strop Hooks	11, 15
T—Tile Rings	14, 16
Tooth Brush Holders	11
Tooth Paste Holders	11
Towel Bars	13
Towel Hooks	11, 15
Towel Supply Shelf	15
Tumbler Holders	11, 12
W—White Glass Bars	13
White Glass Shelves	13, 15
White Towel Bars	13

CATALOGUE F, 1925

Look for This BATHROOM Fairfacts FIXTURES *Trade Mark*

Foreword

FAIRFACTS Recessed Bathroom Accessories, now grown to be the most extensive line obtainable, and covered by many U. S. Patents, were the first of this type ever manufactured.

The Fairfacts Company is undoubtedly the largest of its kind in the world, with all that it implies of experience, facilities and service.

Fairfacts Bathroom Accessories are fitted to modern needs, adequate in all the essentials, and attractive in appearance. That they have profoundly affected, have revolutioned the equipment of the modern bathroom, is demonstrated on every hand.

They are of pure white china, the Special Process of manufacture developed after many years, resulting in a texture and surface finish of the finest quality, and practically everlasting. The expansion and contraction of the texture and the surface finish is so nearly equal that no surface cracks or fractures occur. The illustration on this page indicates the comparative thickness of the texture and surface finish.

These accessories harmonize in tint with the finest plumbing fixtures, and when used with colored tiles produce effects that are rich and beautiful. Examples of this are shown in the following pages. The white fixtures also maintain the high standard of cleanliness now demanded by people of refinement.

Sanitary Engineers call china the best and most sanitary material known for bathroom uses.

Fairfacts Fixtures are non-absorbent, and always retain their beautiful appearance. They are sanitary and efficient. The same design, the same straight dignified lines have been carried out in the various fixtures, so that they harmonize like a fine dinner set, adding much to the attractiveness of the bathroom. There is no nickel to polish, no white coating to wear off or chip off.

Our accessories have been widely imitated, but like most imitations, many are of poor quality, and purchasers should protect themselves by insisting upon having our trade-marked and guaranteed fixtures.

Fairfacts Fixtures are trade-marked and guaranteed for the life of the building. Reproductions of the trade-mark and the guarantee certificate appear on the title page in their regular colors. These important documents are for your protection, and should remain on the fixtures until you see them, and make sure that you have secured genuine Fairfacts Fixtures.

The desirability of building accessories into the walls during the period of construction is now generally recognized. This permanent installation makes necessary the selection of these permanent accessories. Fairfacts Fixtures should therefore be included in the construction work and if possible, mentioned in the specifications and shown on the plans. Once installed, unlike detachable fixtures, they do not become loose and unscrew.

Fairfacts Fixtures are sold and installed by tile contractors everywhere and should be included in the tile contract, if used in tile walls.

Patented: Feb. 13, Aug. 21, Aug. 28, Sept. 4, Sept. 11, Oct. 23, 1917; Feb. 12, May 28, July 16, 1918; and April 15, July 29, 1919.

THEY MAKE "THE PERFECT BATHROOM"

Look for This BATHROOM Fairfacts FIXTURES *Trade Mark*

Fairfacts Fixtures

EQUIPMENT B-A

IN this beautiful blue bathroom white Fairfacts Fixtures are appropriate as well as helpful in the color scheme. Absolute cleanliness is secured in these white fixtures while bringing out the full color value of the blue tiles.

WHITE FAIRFACTS FIXTURES ENHANCE COLOR VALUES

THEY MAKE "THE PERFECT BATHROOM"

Detailed Specifications and price appear on page 24.

Detailed Description, see pages 21-22-23.

Look for This BATHROOM Fairfacts FIXTURES *Trade Mark*

Fairfacts Fixtures

EQUIPMENT G-A

THIS bathroom with gray tiles and white Fairfacts Fixtures is decidedly attractive. Good taste would look askance at gray holders for soap or tooth brush or tumbler, while keenly alive to the beauty of gray tile. White Fairfacts Fixtures and the gray tile are a happy blending, giving complete satisfaction.

WHITE FAIRFACTS FIXTURES ENHANCE COLOR VALUES

THEY MAKE "THE PERFECT BATHROOM"

Detailed Specifications and price appear on page 24.
Detailed Description, see pages 21-22-23.

Look for This Fairfacts *Trade Mark*

Fairfacts Fixtures

EQUIPMENT Y-A

BUFF *accessories* are impossible, but a combination of the buff tiles and white fixtures produces the fine warm atmosphere desired, while recording no departure from the accepted standard of cleanliness found only in white bathroom fixtures.

WHITE FAIRFACTS FIXTURES ENHANCE COLOR VALUES

THEY MAKE "THE PERFECT BATHROOM"

Detailed Specifications and price appear on page 24.

Detailed Description, see pages 21-22-23.

WHITE FAIRFACTS FIXTURES HARMONIZE WITH TILE WALLS OF ANY COLOR

Look for This BATHROOM Fairfacts FIXTURES *Trade Mark*

EQUIPMENT L-A

THIS is an imperial bathroom having luxurious appointments and a world of color. White Fairfacts Fixtures, dignified in their simplicity, compelling in their whiteness, are also a compliment to the taste of the artist; a most successful association of the æsthetic and the practical.

WHITE FAIRFACTS FIXTURES ENHANCE COLOR VALUES

THEY MAKE "THE PERFECT BATHROOM"

Detailed Description, see pages 21-22-23.

Detailed Specifications and price appear on page 24.

Look for This BATHROOM Fairfacts FIXTURES *Trade Mark*

Fairfacts Fixtures

PIECES SHOWN: F 160 F 330 F 115 F 321 F 301



PIECES SHOWN: F 403 F 400 F 461 F 405 F 430



PIECES SHOWN: F 140 F 115 F 170 F 135 F 316

PIECE SHOWN: F 115

PIECES SHOWN: F 140 F 125 F 170 F 135

PIECE SHOWN: F 1

FAIRFACTS SPECIAL PROCESS

ABOVE are practical applications of Fairfacts Accessories to wash basin, bath tub without shower bath, bath tub with shower bath, kitchen sink and toilet.

The arrangement is the result of long experience. By counting the tiles, exact locations may be determined.

Detailed Description, see pages 21-22-23. Sectional Views, see page 16.

Detailed Specifications and price appear on page 25.

Look for This BATHROOM Fairfacts FIXTURES *Trade Mark*

Fairfacts Fixtures

F 117 12x6



F 127 12x6

F 110 6x4¼

F 122 6x4¼

F 100 6x3

F 120 6x3

F 118 12x6



F 128 12x6

F 116 9x6



F 126 9x6

F 105 4¼x4¼

F 121 4¼x4¼

F 112 8½x4¼

F 123 8½x4¼



F 115 6x6



F 125 6x6

F 400 6x3

F 500 4¼x4¼

F 130 4¾x3¼



F 135 5¼x5¾

FAIRFACTS SPECIAL PROCESS

Soap Holders

BILTIN OR RECESSED PATTERN

SIZES given on this page are in inches, left to right, and top to bottom.

PROJECTING PATTERN

F-130 and F-135 have Back Shank or Dowel. F-400 and F-500 have Clincher Back.

See installation suggestions pages 19-20 for setting in various kinds of walls.
See pages 10-11 for soap holders in combination with other fixtures.
Detailed Description, see pages 21-22-23. Sectional Views, see page 16.

Look for This BATHROOM Fairfacts FIXTURES *Trade Mark*

Fairfacts Fixtures



Combination Soap Holders and Safety Grips and Also Safety Grips of Various Kinds

BILTIN OR RECESSED PATTERN

Sizes given on this page are in inches, left to right and top to bottom.

PROJECTING PATTERN

F-145 has Back Shank or Dowel. F-450, F-451, F-452, F-550 have Clincher Back.

See installation suggestions pages 19-20 for setting in various kinds of walls.
Detailed Description, see pages 21-22-23. Sectional Views, see page 16.

Look for This BATHROOM Fairfacts FIXTURES *Trade Mark*

Fairfacts Fixtures

F 342

F 341

F 340

F 490 6x3



F 590 4¼x4¼



F 404 9x3

F 401 9x3



F 402 9x3



F 504 8½x4¼



F 501 8½x4¼



F 502 8½x4¼



F 480 6x3



F 330

F 405 6x3



F 505 4¼x4¼



F 119 12x6



F 171 12x6

F 172 12x6

FAIRFACTS SPECIAL PROCESS

HOOKS, SINGLE AND COMBINATIONS HOLDERS FOR SOAP, SPONGES, TUMBLERS, TOOTH BRUSHES, TOOTH PASTE

BILTIN OR RECESSED PATTERN

SIZES given on this page are in inches, left to right and top to bottom.

PROJECTING PATTERN

F-330, F-340, F-341, F-342 have Back Shank or Dowel. F-401 and up, F-501 and up, have Clincher Back.

See installation suggestions, pages 19-20, for setting in various kinds of walls.
Detailed Description, see pages 21-22-23. Sectional Views, see page 16.

Look for This BATHROOM Fairfacts FIXTURES *Trade Mark*

Fairfacts Fixtures



Holders for Tumblers, Sponges and Toilet Paper

BILTIN OR RECESSED PATTERN

SIZES given on this page are in inches, left to right and top to bottom.

PROJECTING PATTERN

F-30, F-31, F-165, have Back Shank or Dowel. F-403 and up, and F-503 and up, have Clincher Back, F-28 is screwed in place.

See installation suggestions, pages 19-20, for setting in various kinds of walls.
Detailed Description, see pages 21-22-23. Sectional Views, see page 16.

Look for This BATHROOM Fairfacts FIXTURES *Trade Mark*

Fairfacts Fixtures



Towel Bars and Glass Shelves

TOWEL BARS

FIXTURES F-300 and up have Back Shank or Dowel. F-430 and up, F-530 and up, have Clincher Back.

WHITE GLASS SHELVES

The china brackets have wall attachments as follows:
F-320 and up, have Back Shank or Dowel. F-460 and up, and F-560 and up, have Clincher Back.

See installation suggestions, pages 19-20, for setting in various kinds of walls.
Detailed Description, see pages 21-22-23, Sectional Views, see page 16.

Look for This Fairfacts *Trade Mark*

Fairfacts Fixtures

F 180 15x15x5
BATHROOM RADIATOR

F 685 15x15 OVERALL
BATHROOM SEAT

F 406 6x3

F 640 12x3


F 506 4¼x4¼


F 710 3¾x4
LIGHT FIXTURE


F 720
SANITARY TILE RING


F 700 3x3
DOOR STOP


F 680 15x15 OVERALL
BATHROOM SEAT

FAIRFACTS SPECIAL PROCESS

Radiator, China Seats, Comb and Brush Holder, Cigar and Cigarette Holders, Electric Light Bracket, Door Stop and Sanitary Tile Rings

Sizes given on this page are in inches, left to right and top to bottom, excepting F-680 and F-685. F-406, F-640 and F-700 have Clincher Backs for use with 6 x 3 or 6 x 6 tiles. F-506 has Clincher Back for use with 4¼ x 4¼ tile. F-720 shows the practical application of the Fairfacts Sanitary Tile Ring.

See installation suggestions, pages 19-20, for setting in various kinds of walls.
Detailed Description, see pages 21-22-23. Sectional Views, see page 16.

Look for This BATHROOM Fairfacts FIXTURES *Trade Mark*

Fairfacts Fixtures

RECESSED MEDICINE CABINET
SERIES F 7000



RECESSED MEDICINE CABINET
SERIES F 5000

WHITE GLASS SHELF
RECESSED MEDICINE CABINET
SERIES F 6000



DOUBLE ROBE HOOK
F 805

DOUCHE HOOK F 800



COMBINATION TOWEL HOOK
AND STROP HOOK
F 810

MIRROR SERIES F 9000



TOWEL SUPPLY SHELF
SERIES F 850

FAIRFACTS SPECIAL PROCESS

MEDICINE CABINETS, MIRRORS, TOWEL SUPPLY SHELF AND METAL HOOKS

Detailed Description, see pages 21-22-23.

Look for This BATHROOM Fairfacts FIXTURES *Trade Mark*

Fairfacts Fixtures



F 180
SECTION



F 400
PROJECTING TYPE
CLINCHER BACK-SECTION



F 400
CLINCHER BACK-REAR VIEW



F 340
BACK SHANK OR DOWEL



F 115
BUILT IN TYPE-SECTION

F 720
SANITARY TILE RING

F 313
NON SLIP TOWEL BAR
BROKEN SECTION

F 1
REWIND ROLLER-SECTION

FAIRFACTS SPECIAL PROCESS

Sectional Views

See installation suggestions on pages 19-20 for setting in various kinds of walls.

Detailed Description, see pages 21-22-23.

Look for This BATHROOM Fairfacts FIXTURES *Trade Mark*

INSTALLATION OF FAIRFACTS FIXTURES

THERE is a Fairfacts Special Process Accessory for every conceivable use in bathrooms, shower rooms, toilet rooms, kitchens, pantries and laundries.

No method of interior wall construction or surface finish makes impractical a real satisfactory, sanitary and pleasing installation of Fairfacts Fixtures.

There are two types: Biltin or Recessed type and Projecting type.

Biltin or Recessed Fixtures are set into, or recessed almost entirely into the walls, and cemented in place. See F-115 Biltin type section, page 16. The greatest depth required in the wall is 3¼", except F-180 Radiator, which needs 5".

Projecting fixtures have special backs or wall attachments by which they are cemented to the wall. These backs are of two kinds: "Back Shank or Dowel" type, and "Clincher Back" type. The depth required in wall for Dowel type is 1⅜". The Clincher Backs are made in tile sizes, to avoid cutting the tile, and the greatest depth needed is ¾".

Wall tiles are usually made in but three sizes: 6" x 3", 6" x 6", and 4¼" x 4¼"; and generally Fairfacts Fixtures are made in these same sizes. Recessed Fixtures that are 6 x 3, 6 x 6, 6 x 9 and 6 x 12 require little cutting of tile when set in 6 x 3 or 6 x 6 tile. All these fixtures can be set in 4¼" x 4¼" tile, but it requires more cutting. All 4¼ x 4¼, 6 x 4¼ and 8½ x 4¼ Recessed Fixtures are for use with 4¼ x 4¼ tile.

TYPES OF WALLS

Interior Construction	Bond	Wall Finish
Wood Stud	Metal Lath	Tile
Terra Cotta or Hollow Tile	Wood Lath	Plaster
Brick	Plaster Board	Keene's Cement
Gypsum Block	Sheetrock	
Metal Stud Walls (Thin)		

SETTING BILTIN OR RECESSED FIXTURES

Walls with wood studs interior, metal lath bond and tile finish: Fixtures are usually installed while tile is being set. Having determined on the location many tile setters proceed as follows: The cement is removed from the place where the fixture is to go, exposing the lath. The lath is then cut across the top and down the two sides, and bent back, to form a shelf in the interior of the partition. The aperture is then filled with rich cement, the back portions of the fixture also thoroughly covered with cement and the fixture forced back into the opening and resting on the shelf, until its glazed face is flush with the finished wall. After fixture is set point up as is done with the tile wall. If the walls are but 4" thick overall, it will be necessary to fur out for F-180 Radiator.

Walls of Terra Cotta, Hollow Tile, Brick or Gypsum Block interior and tile finish: Apertures for fixtures are cut with chisel or power drill. Stop up holes in the aperture to prevent escape of cement. Fixtures are set as described for "Walls with wood studs interior, metal lath bond and tile finish."

Walls with iron studs interior, metal lath bond and tile finish: Biltin or Recessed fixtures can be used only when these partitions are at least 4" thick overall. The cement is removed where fixture is to be set, and lath cut away. Fill aperture with cement or plaster of paris, also cover back portions of fixture, then install as described for "Walls with wood studs interior, metal lath bond and tile finish."

Walls with wood studs interior, wood lath bond and tile finish: Wood lath is cut away at the aperture. Excelsior dipped in plaster of paris or cement is used to close up space around aperture inside of partition, thus forming a niche for fixture. Set as described for "Walls with wood studs interior, metal lath bond and tile finish."

Walls with wood studs interior, metal lath bond, plaster or Keene's Cement finish: See instructions for "Walls with wood studs interior, metal lath bond and tile finish." In addition, we suggest that excelsior dipped in plaster of paris or cement be used to close space around aperture inside the partition, thus forming a niche for fixture.

Walls with wood studs interior, wood lath bond, plaster or Keene's Cement finish: Proceed as for "Walls with wood studs, wood lath and tile finish." Set fixtures just before finish coat is applied.

Walls with wood studs interior, Plaster Board or Sheetrock bond, plaster or Keene's Cement finish: Boxes made to receive fixtures, but a trifle larger, should be constructed of pieces of studding and nailed to studs at locations decided on. (See sketch of box on this page.) When applying Plaster Board or Sheetrock, cut an opening in it a little larger than the fixture. Nail Plaster Board or Sheetrock firmly around edge of box. Apply cement to aperture and fixture. Set as described for "Walls with wood studs, metal lath and tile finish."



Do not set fixture until just before the finished coat of white plaster or Keene's Cement is applied. After fixture is set, point up

around the edge and then apply finish coat to wall, using the face of fixture as a ground.

Setting Back Shank or Dowel Fixtures

Walls with wood studs interior, metal lath bond and tile finish:

Walls of Terra Cotta, Hollow Tile, Brick or Gypsum Block interior and tile finish:

Walls with wood studs interior, wood lath bond and tile finish:

Walls with metal studs interior, metal lath bond and tile finish:

Walls with metal studs interior, metal lath bond and plaster or Keene's Cement finish:

The same method may be used in all the above walls. These fixtures are usually set after tile is in place, or plaster or Keene's Cement finish applied. An aperture corresponding to the shape, size and depth of the dowel but slightly larger is then made in wall. If wall is tiled make holes preferably at intersection of the tile joints. Be sure that hole is not too large to be concealed by fixture. The dowel is then well covered with rich cement or plaster of paris, and fixture pushed into place.

Walls with wood studs interior, metal lath bond, plaster or Keene's Cement finish:

Walls with wood studs interior, wood lath bond, plaster or Keene's Cement finish:

Walls with wood studs interior, and plaster board or Sheetrock bond and plaster or Keene's Cement finish:

In all of the above walls where fixtures are to be set, it is desirable that pieces of studding with their wide sides vertical be nailed to studs, about ⅜" back of finish wall line. After walls are finished apertures corresponding to the shape, size and depth of the dowels, but slightly larger, are cut into the pieces of studding. Be sure that holes are not too large to be concealed by fixture. The dowel is then well covered with rich cement or plaster of paris, and fixture pushed into place.

Setting Clincher Back Fixtures

Walls with wood studs interior, metal lath bond and tile finish:

Walls of Terra Cotta, Hollow Tile, Brick or Gypsum Block interior and tile finish:

Walls with wood studs interior, wood lath bond and tile finish:

The same method may be used in all above walls. Clincher Back Fixtures can be installed while tile is being set, or openings of the proper dimensions may be left in the tile work, and fixtures set later. The openings for fixtures should always be deep enough for a liberal quantity of cement or plaster. Cover the backs of fixtures with rich cement or plaster of paris, and fill the clinchers. Then push or tamp fixtures into place until the glazed surface is flush with the finished wall. Sometimes, it is necessary to support the heavier fixtures with props or gummed paper, until the cement sets enough to support their weight. Be sure that cement or plaster of paris makes a good bond.

Walls with wood studs interior, metal lath bond, plaster or Keene's Cement finish:

Walls with wood studs interior, wood lath bond, plaster or Keene's Cement finish:

Walls with metal studs interior, metal lath bond and Keene's Cement finish:

Installation in these walls is the same. Fixtures should be set just before applying the finish coat to the wall.

Remove the plaster exposing the lath, where the fixtures are to go, making the openings slightly larger than the fixtures, and deep enough for a liberal quantity of cement or plaster. Set as described for *"Walls with wood studs, metal lath bond and tile finish,"* for *Clincher Back Fixtures.*

Walls with wood studs interior, plaster board or Sheetrock bond: Nail pieces of 2 x 4 studding covered with metal lath, to the wood studs with the lath about 1" back of the finished wall where fixtures are to go. Set fixtures just before applying the finishing coat to the wall. Cut opening in plaster board or Sheetrock to receive fixtures. Fill in the space around openings and between metal lath and plaster board or Sheetrock with plaster of paris, to secure the edges of these openings. Then set fixtures as described for *"Walls with wood studs interior, metal lath bond and plaster or Keene's Cement finish."*

FAIRFACTS FIXTURES BEAR OUR GUARANTEE CERTIFICATE AND TRADEMARK

DETAILED DESCRIPTION OF FIXTURES

FAIRFACTS Fixtures are trade-marked and guaranteed for the life of the building.

Long experience and painstaking effort have enabled us to produce fixtures that retain their excellence. They are not absorbent, nor do they become unsightly or unsanitary. Made by a special process, they are definitely guaranteed to preserve their beautiful glazed surface.

Fairfacts Fixtures bear our Guarantee Certificate and Trade Mark—facsimiles appear on title page of this catalogue. They should not be removed until you see them and make sure that you have secured genuine Fairfacts Fixtures.

Fairfacts Fixtures are pure white china, the finest and best material known for the purpose. They harmonize with tile walls of any color. They are strong, sanitary and efficient. They never need renewing or replacing. There is no nickel to polish, no white coating to wear or chip off. The same design, the same straight dignified lines have been carried out in the various fixtures, adding much to the appearance of the bathroom.

Fairfacts Fixtures should be included in the construction work, and if possible mentioned in the specifications and shown on the plans. Made in tile sizes, there is nothing difficult about their installation, in the hands of a competent mechanic. Unlike detachable fixtures, they do not become loose and unscrew. Once installed there they stay, giving lifelong service.

On pages 4, 5, 6, 7, and 8 are shown the practical application of Fairfacts Fixtures to the various plumbing fixtures. By counting the tiles which are either 6″ x 6″ or 6″ x 3″ exact locations may be determined. Details of the equipment on pages 21, 22, 23.

On pages 17 and 18 are the plan and elevations to scale, of a typical bathroom.

On pages 24, 25, 26, 27, 28, 29, and 30 are specifications of equipment suggested for residences of various total costs and for hotels, apartments, etc. Specifications for fixtures shown on pages 4, 5, 6, 7, and 8 also appear.

Generally speaking, wall tiles are made in but three sizes, 6″ x 3″, 6″ x 6″, 4¼″ x 4¼″, and Fairfacts Accessories are made to fit one or more of these sizes. Care should therefore be exercised, to see that accessories of the proper sizes are selected to fit the tile. Full information will be found in this catalogue.

Fairfacts Fixtures are sold and installed by tile contractors throughout the United States.

"BILTIN" OR RECESSED ACCESSORIES MADE IN TILE SIZES

Biltin Soap Holders having the front lip are the regular pattern. They are used over wash basins, bath tubs, kitchen sinks, pantry sinks, slop sinks and laundry tubs. Because of the vertical opening very little water collects, and they need only to be cleaned as occasion demands. These Soap Holders really hold the soap; it doesn't slip over the edge down on to the floor.

Biltin Soap Holders having the fluted base, self-draining type, are needed wherever shower baths are used, either over bath tubs or in shower compartments. The self-draining feature prevents the accumulation of water from the shower, as the valleys slope toward the front discharging the water, and the soap supporting ridges slope toward the back, preventing soap from falling out.

The double size Biltin or Recessed Fixtures, with center partition and without, are admirable for special requirements:

Where individuals use different soaps—where sponge or tumbler, and soap are used. In kitchens, pantries, etc., for large cakes of soap. They are ideal for fine residential use.

F-160 BILTIN TUMBLER HOLDER: This is a clean and attractive receptacle, having a surface supporting the tumbler that slopes toward the back, preventing it from falling out. There is protection from breakage, and ample room to grasp the tumbler. The design harmonizes with the Biltin Soap Holder.

F-170 BILTIN SPONGE HOLDER: Projecting but two inches from the wall, this fixture takes up less room than any other type. There is a drain hole in the bottom preventing the accumulation of water.

F-140 BILTIN SAFETY GRIP: Many painful accidents from slipping in the bath tub may be avoided if this fixture is used over the bath tub; it also may be grasped when getting out of the tub. It is a safeguard to the bather, the owner, the lessee.

F-151 BILTIN SAFETY GRIP AND SOAP HOLDER COMBINED: This fixture, having the lip, is used over bath tubs where there are no shower baths.

F-150 and F-152 are used exactly as are the Biltin Soap Holders, Fluted Pattern.

These combinations of two pieces, cost somewhat less and for this reason are largely used in apartment buildings and hotels. We, however, believe that separate pieces such as the F-115 Soap Holder and the F-140 Grip make a better and more practical equipment for residential use.

The double size Biltin or Recessed Combination Fixtures with Safety Grips are admirable for special requirements: Where individuals use different soaps—where sponge and soap are used, etc. They are ideal for fine residential use.

F-1 BILTIN ROLL PAPER HOLDER: This has a hood protecting the paper from water and partially concealing it. The Holder projects but two inches from the wall; much less than any of the screwed on varieties. There is a patented roller that rolls up the paper, preventing that annoying unwinding. But a

Detailed Description—*Continued*

few sheets can be unrolled at a time, resulting in a saving of paper. This holder is undoubtedly the finest roll paper holder made.

F-2 and F-12 have plain rollers.

F-25 accommodates special patented folded paper only.

Biltin Roll Paper Holders accommodate rolls of paper of not more than 1000 sheets, these however are readily obtained.

F-60 Biltin Sheet Paper Holder: This is made of heavy cast metal with a white coated finish. It is large enough for the largest sheets of toilet paper, and is, perhaps, the best of all the sheet paper holders made. It requires an aperture 7⅛" horizontal x 9¾" vertical x 3" deep. It is 8" x 10½" overall, and overlaps aperture. It is screwed to interior wood strips previously set by carpenter.

F-180 Biltin China Electric Bathroon Radiator: The value of this auxiliary heater, built into the wall and taking no room, is now clearly recognized. Thousands are in use. An attractive flood of heat and light is obtained instantly.

Many times during the year heat in the bathroom is unobtainable from any other source, times when heat is not only desirable, but demanded because of illness. This radiator is useful in drying towels, wash cloths, and for drying the hair after shampooing.

Surprisingly little electricity is used. The three lamps of 250 watts each x 110-120 volts consume ¾ kilowatt per hour at an approximate cost of ten cents per hour.

As a bathroom can usually be adequately heated in from five to ten minutes the cost is very nominal.

The china is strong and durable and is an ideal reflector for the heat rays.

The equipment includes everything needed, except the wire. Lamps should give six hundred working hours of service. They screw into sockets exactly like the usual lighting bulbs. These lamps can be furnished for various voltages and wattage at an extra cost if desired.

Adequate wiring should be provided, and the usual precautions against fire should be observed.

Fairfacts Projecting Bathroom Accessories

All projecting holders for soap, tumblers, sponges, tooth brushes, tooth paste, combs and brushes, toilet paper, etc., have been designed with unusual care to meet the demands of the modern bathroom. They are easily cleaned, sanitary and strong. The wide variety, includes many combinations. All of these originated with our own staff.

Where walls or partitions are too thin to use recessed fixtures or where they are not desired, these projecting fixtures will be found adequate and attractive.

F-330 and F-480 Fairfacts China Tooth Brush Holders: These are strong and substantial and easily cleaned. The upper surface of the shelf, containing the brush recesses, slopes backward causing the tooth brushes to slide toward the back, to prevent falling out. The recesses are spaced so that the brushes cannot touch one another or the wall; a very necessary and sanitary provision.

Fairfacts Non-slip Towel Bars: These square bars with china posts have proven so satisfactory that we rate their introduction as an achievement. The bars are ⅞" square and are covered with beautiful heavy white sheet Pyralin which is water proof, does not wear off, or chip off. These bars are set edge up, affording three points of contact that keep the towels from slipping off. They are superior to round bars for this reason. Non-slip bars are now used in many of the largest and finest residences.

F-313, 314, 315, and 316 are extra strong, the bars being 1⅛" square and the posts extra large.

Round Bars 1" in diameter with Pyralin finish as described for Non-slip Bars are available and are listed with the suffix letter P.

The Glass Towel Bars are 1" in diameter and whether crystal or white are of fine quality and are round not square.

Round white glass bars are listed with the suffix letter W—the round crystal glass bars with the suffix letter C.

All the towel bar posts have either Back Shank or Dowel, or Clincher Back wall attachments. A hole is cut in the tile for the Dowel type. The Clincher Backs are made the full size of the tile either 6" x 3" or 4¼" x 4¼", excepting F-600 to F-605 which are 3" x 3". See sectional views, page 16.

Fairfacts White Glass Shelves: The shelves are made of white glass of a substantial thickness, and practical width. The china brackets are strong and designed to match the other fixtures.

There are two types of shelves:

One type is held in place by a projection on the ends of the brackets. The other type is bolted to the brackets.

All shelf brackets have wall attachments like those described for towel bar posts.

F-28 Paper Holder like F-25 accommodates special patented folded paper only.

F-30 and F-410 have plain rollers.

F-31 and F-411 have patented Rewind rollers as described for F-1.

All projecting roll paper holders take the usual standard staple rolls of paper. The Rewind rollers require rolls of paper having large diameter pasteboard cores.

F-412 takes the usual standard staple sheet paper, and is a very attractive holder.

F-135—This holder is designed especially to go in the back corner over the bath tub near the faucets, where it is out of the way, to hold soap or brush or sponge. It is the extra fixture often sorely needed.

Detailed Description—*Continued*

F-340, 341, 490, and 590 Hooks are designed for towels or wash cloths or robes or coats.

Some people prefer to use hooks rather than bars for partly soiled towels.

F-342 Hook can be used as a douche hook or strop hook. It is ideal for either purpose.

F-145 Safety Grip has very substantial china posts with Back Shank or Dowel wall attachment, and the square bar is 1⅛" in diameter having the same finish as described for Non-slip towel bars. These can be made in any length desired, by using center posts.

F-450, 451, 452, and 550 Safety Grips have Clincher Backs. They are perhaps the best Safety Grips when the Biltin Type is not to be used.

F-680, 685 Bathroom Seats are very heavy and substantial, and when cemented into the bathroom walls as shown in the illustrations, provide the most durable and sanitary seats obtainable. There is no question of the need of a seat in every bathroom, but lack of space has prevented its use. Bath Stools or Chairs take too much room, and if used, soon look shabby, the white finish chips or flakes off and swelling and shrinking cause damage. Our China Seats are not affected by bathroom conditions and take little room. Added comfort has been secured by sloping the upper surfaces toward the wall, although this is not apparent in the illustrations.

F-680 Seat has a deep groove in its under side into which the heavy bracket is fitted, providing a support of unquestioned strength. Both the seat and the bracket extend three inches into the wall and have locking grooves in their concealed surfaces for the cement that binds and locks them immovably to the wall. These seats are recommended for residences, hotels, clubs, etc. They are also desirable for shower compartments.

F-700 Door Stop is made especially for bathrooms. It harmonizes with the other fittings, and prevents damage to tile wainscotting and to door knobs.

F-710 Electric Wall Bracket consists of a china bracket with a concealed hanger that attaches to an iron stud box, and a socket with chain pull that is fitted to the bracket. The electrical contractor should furnish wiring, iron stud box and lamp.

F-720 Fairfacts Sanitary Tile Ring is intended to make a finish that is sanitary and durable as well as attractive, around the steam and water pipes projecting through the bathroom floor. Unsightly metal escutcheons or none at all, make a poor finish for an otherwise fine bathroom. When properly set these rings prevent water running down and staining the ceiling below. They also provide adequate space around the pipe for expansion, preventing upheaval of the tile floor.

F-800 Metal Douche Hook, white finish—is attached with screws. For use in hotels and bathrooms generally.

F-805 Metal Double Robe Hook, white finish—is attached with screws. For use in public buildings.

F-810 Metal Towel and Strop Hook, white finish—is attached with screws. For use in hotels, clubs, etc.

F-850 White Glass Towel Supply Shelf with china brackets, is attached with screws. For use in hotels, clubs, etc.

F-5000 Series Medicine Cabinets recess into the wall with the front flange overlapping. They are made of metal with a fine smooth durable white finish, bevel plate mirror doors, glass knobs and crystal glass shelves.

F-6000 Series Medicine Cabinets are as described for series F-5000 except that there is an open compartment below with white glass shelf.

F-7000 Series Medicine Cabinets recess into the wall with the front flange overlapping. They are made of seasoned wood covered inside and out with white sheet Pyralin, which is water proof, will not wear, or flake, or chip off, and which has a beautiful finish. These cabinets are undoubtedly as fine as anything made for the purpose. They have bevel plate mirror doors, glass knobs and crystal glass shelves.

F-9000 Series Mirrors are good quality bevel plate glass with metal frames having a fine smooth durable white finish. They have metal backs and concealed hangers.

Sectional Views, See Page 16

F-1 Rewind Roller for Roll Paper Holders, Section, discloses the mechanism that makes this fixture the best ever produced. Thousands are in use, conserving paper and keeping the toilet paper rolled up.

F-115 Soap Holder, Recessed Pattern section, shows the metal lath cut away to make the recess into which the soap holder is cemented.

F-180 section, shows the various parts, i.e.: The China Radiator, the iron outlet box, the sockets, the brass cover plate beneath, and the bolts that fasten these parts together.

F-313 Non-slip Towel Bar—broken section, shows the square form set edge up making three points of contact with the towel, thus preventing its slipping off. This is typical of all the Non-slip Towel Bars.

F-340 Hook shows how the Back Shank or Dowel type is attached to the wall, with cement or plaster of paris.

F-400 Projecting Soap Holder, two views, is typical of all the Clincher Back pieces. This wall attachment has proven very substantial and adequate when cemented into place.

F-720 Sanitary Tile Rings show upper and lower surfaces, the latter having the grooves that allow pieces to be nipped off when necessary, to fit into the corners of a room.

Detailed Specifications

Specification: Furnish and install in best approved manner in . . . . . bathrooms, Fairfacts Bathroom Accessories, Equipment B-A, as described on page 24 and shown on page 4, Catalogue F, 1925.

Note: Equipment letters and page numbers, to conform to Equipment desired.

Equipment B-A—See Page 4

FOR LAVATORY

1 F-115 Soap Holder
1 F-160 Tumbler Holder
1 F-330 Tooth Brush Holder
1 F-322 White Glass Shelf
1 F-340 Towel Hook
1 F-301 Non-slip Towel Bar
1 F-341 Wash Cloth Hook
1 F-7002 Medicine Cabinet
2 F-710 Electric Light Brackets

FOR BATH TUB

*1 F-156 Combined Double Soap and Safety Grip
1 F-170 Sponge Holder
1 F-316 Heavy Non-slip Towel Bar

FOR W. C.

1 F-1 Roll Paper Holder
1 F-342 Douche Hook

GENERAL

2 F-340 Robe Hooks
1 F-180 Radiator
1 F-680 Bathroom Seat
1 F-700 Door Stop
1 F-720 Sanitary Tile Ring

Price of above fixtures, $270.05

Equipment G-A—See Page 5

FOR LAVATORY

1 F-115 Soap Holder
1 F-160 Tumbler Holder
1 F-330 Tooth Brush Holder
1 F-321 White Glass Shelf
2 F-300 Non-slip Towel Bars
1 F-340 Wash Cloth Hook
1 F-5003 Medicine Cabinet
2 F-710 Electric Light Brackets

FOR BATH TUB

*1 F-155 Combined Soap, Sponge and Safety Grip
1 F-303 Non-slip Towel Bar

FOR W. C.

1 F-1 Roll Paper Holder
1 F-342 Douche Hook

GENERAL

2 F-340 Robe Hooks
1 F-180 Radiator
1 F-680 Bathroom Seat
1 F-700 Door Stop
1 F-720 Sanitary Tile Ring

Price of above fixtures $219.80

Equipment Y-A—See Page 6

FOR LAVATORY

1 F-115 Soap Holder
1 F-160 Tumbler Holder
1 F-330 Tooth Brush Holder
1 F-322 White Glass Shelf
1 F-340 Towel Hook
1 F-301 Non-slip Towel Bar
1 F-341 Wash Cloth Hook
1 F-5003 Medicine Cabinet
2 F-710 Electric Light Brackets

FOR BATH TUB

*1 F-152 Combined Soap and Safety Grip
1 F-170 Sponge Holder
1 F-316 Heavy Non-slip Towel Bar

FOR W. C.

1 F-1 Roll Paper Holder
1 F-342 Douche Hook

GENERAL

2 F-340 Robe Hooks
1 F-180 Radiator
1 F-680 Bathroom Seat
1 F-700 Door Stop
1 F-720 Sanitary Tile Ring

Price of above fixtures $217.05

Equipment L-A—See Page 7

FOR LAVATORY

1 F-115 Soap Holder
1 F-160 Tumbler Holder
1 F-322 White Glass Shelf
1 F-302 Non-slip Towel Bar

FOR BATH TUB

*1 F-152 Combined Soap and Safety Grip
1 F-170 Sponge Holder
1 F-316 Heavy Non-slip Towel Bar

FOR SHOWER BATH

1 F-125 Soap Holder

FOR W. C.

1 F-60 Sheet Paper Holder
1 F-342 Douche Hook

GENERAL

1 F-180 Radiator
3 F-340 Robe Hooks
1 F-700 Door Stop
1 F-720 Tile Ring

Price of above fixtures $132.05

*With shower baths use soap holders or combined soap holders and safety grips, self-drain type.

Look for This Bathroom Fairfacts Fixtures *Trade Mark*

Detailed Specifications

Specification: Furnish and install Fairfacts Bathroom Accessories in best approved manner in bathrooms, toilet rooms, kitchen, pantry, laundry, where shown on plans or herein mentioned.

Specifications for Equipment Shown with Plumbing Fixtures on Page 8

Upper left illustration

FOR LAVATORY

1 F-115 Soap Holder
1 F-160 Tumbler Holder
1 F-330 Tooth Brush Holder
1 F-321 White Glass Shelf
1 F-301 Non-slip Towel Bar
1 F-5003 Medicine Cabinet

Price of above fixtures $69.00

Upper right illustration

FOR LAVATORY

1 F-400 Soap Holder
1 F-403 Tumbler Holder
1 F-405 Tooth Brush and Paste Holder
1 F-461 White Glass Shelf
1 F-431 Non-slip Towel Bar
1 F-5003 Medicine Cabinet

Price of above fixtures $74.25

Middle left illustration

FOR BATH TUB

1 F-115 Soap Holder
1 F-140 Safety Grip
1 F-170 Sponge Holder
1 F-135 Soap Holder
1 F-316 Heavy Non-slip Towel Bar

Price of above fixtures $35.00

Middle right illustration

FOR KITCHEN SINK

1 F-115 Soap Holder

Price of above fixture $3.50

Lower left illustration

FOR BATH TUB AND SHOWER BATH OVER

1 F-125 Soap Holder
1 F-140 Safety Grip
1 F-170 Sponge Holder
1 F-135 Soap Holder

Price of above fixtures $19.50

Lower right illustration

FOR W. C.

1 F-1 Roll Paper Holder

Price of above fixture $7.00

Fairfacts Equipment Suggested for Residences Costing $5,000 to $8,000

BATHROOM

FOR LAVATORY

1 F-115 Soap Holder
1 F-160 Tumbler Holder
1 F-330 Tooth Brush Holder
1 F-301 Non-slip Towel Bar
1 F-340 Towel Hook
1 F-6000 Medicine Cabinet

FOR BATH TUB

*1 F-151 or F-152 Combined Soap and Safety Grip
1 F-135 For Sponge
1 F-302 Non-slip Towel Bar

FOR W. C.

1 F-2 Paper Holder

GENERAL

1 F-340 Robe Hook

FOR KITCHEN

1 F-115 Soap Holder
1 F-160 Tumbler Holder

Price of above fixtures $74.00

*With shower baths use soap holders or combined soap holders and safety grips, self-drain type.

Look for This *Trade Mark*

Detailed Specifications

Specification: Furnish and install Fairfacts Bathroom Accessories in best approved manner in bathrooms, toilet rooms, kitchen, pantry, laundry, where shown on plans or herein mentioned.

Equipment Suggested for Residences Costing $8,000.00 to $15,000.00

OWNER'S BATHROOM

FOR LAVATORY

1 F-115 Soap Holder
1 F-160 Tumbler Holder
1 F-330 Tooth Brush Holder
1 F-320 White Glass Shelf
1 F-301 Non-slip Towel Bar
1 F-340 Towel Hook
1 F-5001 Medicine Cabinet
2 F-710 Electric Light Brackets

FOR BATH TUB

*1 F-151 or F-152 Combined Soap and Grip
1 F-170 Sponge Holder
1 F-303 Non-slip Towel Bar

FOR W. C.

1 F-1 Paper Holder
1 F-342 Douche Hook

GENERAL

1 F-180 Radiator
1 F-700 Door Stop

Price of above fixtures $155.25

FIRST FLOOR TOILET ROOM

FOR LAVATORY

1 F-115 Soap Holder
1 F-160 Tumbler Holder
1 F-320 White Glass Shelf
1 F-301 Non-slip Towel Bar
1 F-9002 Mirror

FOR W. C.

1 F-1 Paper Holder

Price of above fixtures $53.25

KITCHEN

1 F-115 Soap Holder
1 F-160 Tumbler Holder

Price of above fixtures $7.00

GUEST'S BATHROOM

FOR LAVATORY

1 F-115 Soap Holder
1 F-160 Tumbler Holder
1 F-330 Tooth Brush Holder
1 F-320 White Glass Shelf
1 F-301 Non-slip Towel Bar
1 F-340 Towel Hook
1 F-5001 Medicine Cabinet
2 F-710 Electric Light Brackets

FOR BATH TUB

*1 F-151 or F-152 Combined Soap and Grip
1 F-170 Sponge Holder
1 F-303 Non-slip Towel Bar

FOR W. C.

1 F-1 Paper Holder
1 F-342 Douche Hook

GENERAL

1 F-180 Radiator
1 F-700 Door Stop

Price of above fixtures $155.25

SERVANT'S BATHROOM

FOR LAVATORY

1 F-115 Soap Holder
1 F-160 Tumbler Holder
1 F-330 Tooth Brush Holder
1 F-300 Non-slip Towel Bar
1 F-6000 Medicine Cabinet

FOR BATH TUB

*1 F-152 Combined Soap and Grip
1 F-301 Non-slip Towel Bar

FOR W. C.

1 F-2 Paper Holder

Price of above fixtures $59.50

*With shower baths use soap holders or combined soap holders and safety grips, self-drain type.

Look for This *Trade Mark*

Detailed Specifications

Specification: Furnish and install Fairfacts Bathroom Accessories in best approved manner in bathrooms, toilet rooms, kitchen, pantry, laundry, where shown on plans or herein mentioned.

Fairfacts Equipment suggested for Residences Costing $15,000 to $25,000

OWNER'S BATHROOM

FOR LAVATORY

1 F-115 Soap Holder
1 F-160 Tumbler Holder
1 F-330 Tooth Brush Holder
1 F-321 White Glass Shelf
1 F-301 Non-slip Towel Bar
1 F-340 Towel Hook
1 F-341 Wash Cloth Hook
1 F-5003 Medicine Cabinet
2 F-710 Electric Light Brackets

FOR BATH TUB

*1 F-151 or F-152 Combined Soap and Safety Grip
1 F-170 Sponge Holder
1 F-303 Non-slip Towel Bar

FOR W. C.

1 F-1 Paper Holder
1 F-342 Douche Hook

GENERAL

1 F-180 Radiator
1 F-680 Bathroom Seat
1 F-710 Electric Light Bracket
1 F-700 Door Stop

Price of above fixtures $209.25

GUEST'S BATHROOM

FOR LAVATORY

1 F-115 Soap Holder
1 F-160 Tumbler Holder
1 F-330 Tooth Brush Holder
1 F-320 White Glass Shelf
1 F-301 Non-slip Towel Bar
1 F-341 Wash Cloth Hook
1 F-5000 Medicine Cabinet
2 F-710 Electric Light Brackets

FOR BATH TUB

*1 F-151 or F-152 Combined Soap and Safety Grip
1 F-135 For Sponge
1 F-302 Non-slip Towel Bar

FOR W. C.

1 F-1 Paper Holder
1 F-342 Douche Hook

GENERAL

1 F-180 Radiator
1 F-710 Electric Light Bracket
1 F-700 Door Stop

Price of above fixtures $153.00

FIRST FLOOR TOILET ROOM

FOR LAVATORY

1 F-115 Soap Holder
1 F-160 Tumbler Holder
1 F-320 White Glass Shelf
1 F-301 Non-slip Towel Bar
2 F-340 Towel Hooks
1 F-340 Robe Hooks
1 F-9002 Mirror

FOR W. C.

1 F-1 Paper Holder

Price of above fixtures $57.75

FOR KITCHEN

1 F-115 Soap Holder
1 F-160 Tumbler Holder
1 F-301 Non-slip Towel Bar
1 F-327 White Glass Shelf

Price of above fixtures $21.00

SERVANT'S BATHROOM

FOR LAVATORY

1 F-115 Soap Holder
1 F-160 Tumbler Holder
1 F-330 Tooth Brush Holder
1 F-300 Non-slip Towel Bar
1 F-6000 Medicine Cabinet

FOR BATH TUB

1 F-152 Combination Soap and Safety Grip
1 F-301 Non-slip Towel Bar

FOR W. C.

1 F-2 Paper Holder

Price of above fixtures $59.50

*With shower baths use soap holders or combined soap holders and safety grips, self-drain type.

Look for This *Trade Mark*

Detailed Specifications

Specification: Furnish and install Fairfacts Bathroom Accessories in best approved manner in bathrooms, toilet rooms, kitchen, pantry, laundry, where shown on plans or herein mentioned.

Fairfacts Equipment Suggested for Residences Costing $25,000 Up

MASTER'S BATHROOM

FOR LAVATORY

2 F-119 Comb. Soap and Tumbler
1 F-405 Tooth Brush and Paste Holder
1 F-467 White Glass Shelf
2 F-340 Towel Hooks
1 F-341 Wash Cloth Hook
2 F-431 Non-slip Towel Bars
1 F-7002 Medicine Cabinet
2 F-710 Electric Light Brackets

FOR BATH TUB

*1 F-155 or F-156 Combination Double Soap Holder and Safety Grip
1 F-172 Double Sponge Holder
1 F-135 Corner Soap Holder
1 F-316 Non-slip Towel Bar

FOR SHOWER COMPARTMENT

*1 F-156 Combination Double Soap Holder and Safety Grip
1 F-340 Towel Hook

FOR W. C.

1 F-60 Paper Holder
1 F-342 Douche Hook
1 F-710 Electric Light Bracket

GENERAL

1 F-180 Radiator
1 F-680 Bath Seat
1 F-700 Door Stop
1 F-720 Sanitary Tile Ring

Price of above fixtures $365.05

GUEST'S BATHROOM

FOR LAVATORY

1 F-115 Soap Holder
1 F-160 Tumbler Holder
1 F-405 Tooth Brush and Paste Holder
1 F-466 White Glass Shelf
1 F-431 Non-slip Towel Bar
1 F-490 Towel Hook
1 F-5002 Medicine Cabinet
2 F-710 Electric Light Brackets

FOR BATH TUB

*1 F-155 or F-156 Combination Double Soap and Safety Grip
1 F-135 Corner Soap Holder
1 F-303 Non-slip Towel Bar

FOR W. C.

1 F-60 Paper Holder
1 F-342 Douche Hook
1 F-710 Electric Light Bracket

GENERAL

1 F-180 Radiator
1 F-680 Bath Seat
1 F-700 Door Stop
1 F-720 Sanitary Tile Ring

Price of above fixtures $229.80

FIRST FLOOR TOILET ROOM

1 F-115 Soap Holder
1 F-160 Tumbler Holder
1 F-322 White Glass Shelf
2 F-301 Non-slip Towel Bars
2 F-340 Towel Hooks
1 F-340 Robe Hook
1 F-9002 Mirror
2 F-710 Electric Light Brackets
1 F-60 Paper Holder
1 F-720 Sanitary Tile Ring
1 F-700 Door Stop

Price of above fixtures $86.80

SERVANT'S BATHROOM

FOR LAVATORY

1 F-115 Soap Holder
1 F-160 Tumbler Holder
1 F-330 Tooth Brush Holder
1 F-300 Non-slip Towel Bar
1 F-6000 Medicine Cabinet

FOR BATH TUB

*1 F-152 Combination Soap and Safety Grip
1 F-301 Non-slip Towel Bar

FOR W. C.

1 F-2 Roll Paper Holder

Price of above fixtures $59.50

KITCHEN

2 F-117 Soap Holder
1 F-160 Tumbler Holder

Price of above fixtures $36.50

PANTRY

1 F-117 Soap Holder
1 F-160 Tumbler Holder
1 F-316 Non-slip Towel Bar
1 F-340 Towel Hook

Price of above fixtures $37.00

LAUNDRY

1 F-117 Soap Holder
1 F-160 Tumbler Holder
2 F-340 Towel Hooks

Price of above fixtures $23.00

*With shower baths use soap holders or combined soap holders and safety grips, self-drain type.

Look for This *Trade Mark*

Detailed Specifications

Specification: Furnish and install Fairfacts Bathroom Accessories in best approved manner in bathrooms, toilet rooms, kitchens, pantries, laundries, where shown on plans or herein mentioned.

Fairfacts Equipment Suggested for Apartment Buildings

BATHROOMS

FOR LAVATORY

1 F-115 Soap Holder
1 F-160 Tumbler Holder
1 F-405 Tooth Brush and Paste Holder
1 F-325 White Glass Shelf
1 F-302 Non-slip Towel Bar
1 F-341 Wash Cloth Hook
1 F-5000 Medicine Cabinet
2 F-710 Light Brackets

FOR BATH TUB

*1 F-150 or F-152 Combination Soap and Safety Grip
1 F-302 Non-slip Towel Bar

FOR W. C.

1 F-2 Paper Holder
1 F-342 Douche Hook

GENERAL

1 F-180 Radiator
1 F-340 Robe Hook
1 F-700 Door Stop
1 F-720 Sanitary Tile Ring

Fairfacts Equipment Suggested for Hotels

BATHROOMS

FOR LAVATORY

1 F-115 Soap Holder
1 F-160 Tumbler Holder
1 F-405 Tooth Brush and Paste Holder
1 F-810 Metal Towel and Strop Hook, White Finish
1 F-6001 Metal Medicine Cabinet
1 F-850 White Glass Towel Supply Shelf
2 F-710 Electric Light Brackets
1 F-805 Metal Double Robe Hook, White Finish

FOR BATH TUB

*1 F-150 or F-151 Combination Soap and Safety Grip
1 F-303 Non-slip Towel Bar
1 F-340 Towel Hook

FOR SHOWER

1 F-150 Combination Soap and Safety Grip
1 F-340 Towel Hook

FOR W. C.

1 F-25 Paper Holder
1 F-406 Cigar Rest
1 F-800 Metal Douche Hook

GENERAL

1 F-685 Bathroom Seat
1 F-700 Door Stop
1 F-720 Sanitary Tile Ring

FOR PUBLIC TOILET

1 F-28 Toilet Paper Holder and Cigar Rest
1 F-805 Metal Double Robe Hook, White Finish

*With shower baths use soap holders or combined soap holders and safety grips, self-drain type.

FAIRFACTS FIXTURES ARE TRADE-MARKED AND GUARANTEED FOR THE LIFE OF THE BUILDING

Detailed Specifications

Specification: Furnish and install Fairfacts Bathroom Accessories in best approved manner in bathrooms, toilet rooms, kitchens, pantries, laundries, where shown on plans or herein mentioned.

Fairfacts Equipment Suggested for Hospitals

LAVATORIES

1 F-115 Soap Holder
1 F-160 Tumbler Holder
1 F-326 White Glass Shelf
1 F-301 Non-slip Towel Bar
1 F-9002 Mirror
2 F-710 Electric Light Brackets

BATH TUBS

1 F-156 Double Combination Soap and Safety Grip
1 F-303 Non-slip Towel Bar

FOR W. C.

1 F-1 Roll Paper Holder
1 F-342 Douche Hook

SHOWER ROOM

*1 F-152 Combination Soap and Safety Grip
1 F-340 Towel Hook
1 F-685 Bathroom Seat

GENERAL TOILET ROOMS

For each Lavatory

1 F-119 Combination Tumbler and Soap Holder
1 F-325 White Glass Shelf
1 F-9002 Mirror

For Each W. C.

1 F-1 Roll Paper Holder
1 F-805 Double Robe Hook

For Slop Sinks

1 F-117 Large Soap Holder
1 F-300 Non-slip Towel Bar
1 F-340 Towel Hook

GENERAL

1 F-700 Door Stop
1 F-720 Sanitary Tile Ring

Specification: Furnish and install Fairfacts Bathroom Accessories in best approved manner in toilet rooms where shown on plans or herein mentioned.

Fairfacts Equipment Suggested for Office Buildings

PUBLIC TOILET ROOMS

For Each Lavatory

1 F-100 Soap Holder
1 F-325 White Glass Shelf
1 F-805 Metal Double Robe Hook
1 F-9001 Mirror
1 F-710 Electric Light Bracket

For Each W. C.

1 F-28 Paper Holder and Cigar Rest
1 F-805 Metal Double Robe Hook

GENERAL

F-720 Sanitary Tile Rings

*With shower baths use soap holders or combined soap holders and safety grips, self-drain type.

FAIRFACTS FIXTURES ARE STRONG, SANITARY AND EFFICIENT

Look for This Fairfacts *Trade Mark*

DIMENSIONS — CONDENSED DESCRIPTION

Covered by Many U. S. Patents

Sizes are in inches, horizontal, vertical and depth in wall, in order given, with a few exceptions that will be apparent.

No.	Size	FIXTURE
F-1	6x6x3¼"	Biltin Roll Paper Holder, Rewind Roller
F-2	6x6x3¼"	Biltin Roll Paper Holder, Plain Roller
F-12	6x6x3¼"	Biltin Roll Paper Holder, Plain Roller
F-25	6x6x2⅜"	Biltin Sheet Paper Holder
F-28	4¾x5¾"	Projecting Sheet Paper Holder and Cigar Rest
F-30	..x..x1⅜"	Projecting Roll Paper Holder, Plain Roller
F-31	..x..x1⅜"	Projecting Roll Paper Holder, Rewind Roller
F-60	8x10½x3"	Biltin Sheet Paper Holder
F-100	6x3x3"	Biltin Soap Holder with lip
F-105	4¼x4¼x3"	Biltin Soap Holder with lip
F-110	6x4¼x2¾"	Biltin Soap Holder with lip
F-112	8½x4¼x2¾"	Biltin Soap Holder with lip
F-115	6x6x2¾"	Biltin Soap Holder with lip
F-116	9x6x2¾"	Biltin Soap Holder with lip
F-117	12x6x2¾"	Biltin Soap Holder with lip
F-118	12x6x2¾"	Biltin Soap Holder with lip
F-119	12x6x3⅛"	Biltin Soap Holder with lip
F-120	6x3x3"	Biltin Soap Holder, Self Drain
F-121	4¼x4¼x3"	Biltin Soap Holder, Self Drain
F-122	6x4¼x3"	Biltin Soap Holder, Self Drain
F-123	8½x4¼x3"	Biltin Soap Holder, Self Drain
F-125	6x6x3"	Biltin Soap Holder, Self Drain
F-126	9x6x3"	Biltin Soap Holder, Self Drain
F-127	12x6x3"	Biltin Soap Holder, Self Drain
F-128	12x6x3"	Biltin Soap Holder, Self Drain
F-130	4¾x1¼"	Projecting Soap Holder, Dowel Type
F-135	5¾x1¼"	Corner Soap Holder, Dowel Type
F-140	6x6x2¾"	Biltin Safety Grip
F-145	..x..x1⅜"	Projecting Safety Grip 12" long, Dowel Type
F-146	..x..x1⅜"	Projecting Safety Grip 18" long, Dowel Type
F-150	6x6x3"	Biltin Combined Soap and Safety Grip, Self Drain
F-151	6x6x2¾"	Biltin Combined Soap and Safety Grip with lip
F-152	6x6x3"	Biltin Combined Soap and Safety Grip, Self Drain
F-153	9x6x2¾"	Biltin Combined Soap and Safety Grip with lip
F-154	9x6x3"	Biltin Combined Soap and Safety Grip, Self Drain
F-155	12x6x2¾"	Biltin Combined Soap and Safety Grip with lip
F-156	12x6x3"	Biltin Combined Soap and Grip, Self Drain
F-160	6x6x3"	Biltin Tumbler Holder
F-165	3¼x1¼x1⅜"	Projecting Tumbler Holder, Dowel Type
F-170	6x6x3¼"	Biltin Sponge Holder
F-171	12x6x3¼"	Biltin Combined Soap and Sponge with lip
F-172	12x6x3"	Biltin Combined Soap and Sponge, Self Drain
F-180	15x15x5"	Biltin Electric Radiator, complete, no wire
F-190	6x4¼x2¾"	Biltin Combined Soap and Grip with lip
F-191	8½x4¼x2¾"	Biltin Combined Soap and Grip with lip
F-195	6x4¼x3"	Biltin Combined Soap and Grip, Self Drain
F-196	8½x4¼x3"	Biltin Combined Soap and Grip, Self Drain
F-330	6x2⅜x1⅜"	Projecting Tooth Brush Holder, Dowel Type

No.	Size	FIXTURE
F-340	2⅜x2⅜x1⅜"	Projecting Towel Hook, Dowel Type, 4" long
F-341	1⅜x2⅝x1⅜"	Projecting Robe Hook, Dowel Type, 3½" long
F-342	1¾x2-1/16x1"	Projecting Douche Hook, Dowel Type, 2" long
F-400	6x3x¾"	Projecting Soap Holder, Clincher Back
F-401	9x3x¾"	Projecting Soap and Tumbler Holder, Clincher Back
F-402	9x3x¾"	Projecting Soap and Tooth Brush, Clincher Back
F-403	6x3x¾"	Projecting Tumbler Holder, Clincher Back
F-404	9x3x¾"	Projecting Tooth Brush, Paste and Tumbler, Clincher Back
F-405	6x3x¾"	Projecting Tooth Brush and Paste, Clincher Back
F-406	6x3x¾"	Projecting Cigar Rest with Clincher Back
F-410	9x3x¾"	Projecting Roll Paper Holder, Plain Roller, Clincher Back
F-411	9x3x¾"	Projecting Roll Paper Holder, Rewind Roller, Clincher Back
F-412	9x3x¾"	Projecting Sheet Paper Holder, Clincher Back
F-450	6x3x¾"	Projecting Safety Grip, Clincher Back
F-451	9x3x¾"	Projecting Safety Grip, Clincher Back
F-452	12x3x¾"	Projecting Safety Grip, Clincher Back
F-470	6x3x¾"	Projecting Sponge Holder, Clincher Back
F-480	6x3x¾"	Projecting Tooth Brush Holder, Clincher Back
F-490	6x3x¾"	Projecting Towel Hook, Clincher Back, 4" long
F-500	4¼x4¼x¾"	Projecting Soap Holder, Clincher Back
F-501	8½x4¼x¾"	Projecting Soap and Tumbler Holder, Clincher Back
F-502	8½x4¼x¾"	Projecting Soap and Tooth Brush, Clincher Back
F-503	4¼x4¼x¾"	Projecting Tumbler Holder, Clincher Back
F-504	8½x4¼x¾"	Projecting Tooth Brush, Paste and Tumbler, Clincher Back
F-505	4¼x4¼x¾"	Projecting Tooth Brush and Paste, Clincher Back
F-506	4¼x4¼x¾"	Projecting Cigar Rest, Clincher Back
F-550	8½x4¼x¾"	Projecting Safety Grip, Clincher Back
F-570	8½x4¼x¾"	Projecting Sponge Holder, Clincher Back
F-590	4¼x4¼x¾"	Projecting Towel Hook, Clincher Back, 4" long
F-640	12x3x¾"	Projecting Comb and Brush Holder, Clincher Back
F-680	15x15x3"	China Bathroom Seat and Bracket
F-685	15x15x1¼"	China Bathroom Corner Seat
F-700	3x3"	Door Stop, Clincher Back
F-710	3¾x4"	Electric Light Fixture
F-720	¾"	Sanitary Tile Ring for ¾" iron pipe size pipe
F-721	1"	Sanitary Tile Ring for 1" iron pipe size pipe
F-722	1¼"	Sanitary Tile Ring for 1¼" iron pipe size pipe
F-723	1½"	Sanitary Tile Ring for 1½" iron pipe size pipe
F-724	2"	Sanitary Tile Ring for 2" iron pipe size pipe
F-800		Metal Douche Hook, White Coated, screw to wall
F-805		Metal Double Robe Hook, White Coated, screw to wall
F-810		Metal Towel and Strop Hook, White Coated, screw to wall

Look for This Fairfacts *Trade Mark*

Towel Bars

Non-Slip Bars are 7/8" Square — All others are Round Bars, 1" dia. Designating No. is the same for all kinds. Letter F only designates the Non-Slip Bars. Letter F and the suffix letter W, White Glass Bars; letter F and suffix C, Crystal Glass Bars; letter F and suffix P, Pyralin Covered Bars. Dimensions are center to center of end posts. 42" Bars and 48" Bars also have Center Posts.

TOWEL BARS AND CHINA POSTS WITH BACK SHANK OR DOWEL

18 Inches	24 Inches	30 Inches	36 Inches	42 Inches	48 Inches
F-300	F-301	F-302	F-303	F-304	F-305
F-300W	F-301W	F-302W	F-303W	F-304W	F-305W
F-300C	F-301C	F-302C	F-303C	F-304C	F-305C
F 300P	F-301P	F-302P	F-303P	F-304P	F-305P
Heavy Bars 1⅛" sq. and large posts		F-313	F-314	F-315	F-316

TOWEL BARS AND CHINA POSTS WITH 3x3 CLINCHER BACK

See general notes under heading "Towel Bars"

18 Inches	24 Inches	30 Inches	36 Inches	42 Inches	48 Inches
F-600	F-601	F-602	F-603	F-604	F-605
F-600W	F-601W	F-602W	F-603W	F-604W	F-605W
F-600C	F-601C	F-602C	F-603C	F-604C	F-605C
F-600P	F-601P	F-602P	F-603P	F-604P	F-605P

TOWEL BARS AND CHINA POSTS WITH 6x3 CLINCHER BACK

See general notes under heading "Towel Bars"

18 Inches	24 Inches	30 Inches	36 Inches	42 Inches	48 Inches
F-430	F-431	F-432	F-433	F-434	F-435
F-430W	F-431W	F-432W	F-433W	F-434W	F-435W
F-430C	F-431C	F-432C	F-433C	F-434C	F-435C
F-430P	F-431P	F-432P	F-433P	F-434P	F-435P

TOWEL BARS AND CHINA POSTS WITH 4¼x4¼ CLINCHER BACK

See general notes under heading "Towel Bars"

18 Inches	24 Inches	30 Inches	36 Inches	42 Inches	48 Inches
F-530	F-531	F-532	F-533	F-534	F-535
F-530W	F-531W	F-532W	F-533W	F-534W	F-535W
F-530C	F-531C	F-532C	F-533C	F-534C	F-535C
F-530P	F-531P	F-532P	F-533P	F-534P	F-535P

White Glass Shelves

5" Wide, 7/16" thick with China Brackets.

SHELVES AND CHINA BRACKETS WITH BACK SHANK OR DOWEL

Length Over All	20"	24"	30"
Shelf Rests on Brackets.....	F-320	F-321	F-322
Shelf Bolts to Brackets.....	F-325	F-326	F-327

SHELVES AND CHINA BRACKETS WITH 6x3 CLINCHER BACK

Length Over All	20"	24"	30"
Shelf Rests on Brackets.....	F-460	F-461	F-462
Shelf Bolts to Brackets.....	F-465	F-466	F-467

SHELVES AND CHINA BRACKETS WITH 3x3 CLINCHER BACK

Length Over All	20"	24"	30"
Shelf Rests on Brackets.....	F-620	F-621	F-622
Shelf Bolts to Brackets.....	F-625	F-626	F-627

SHELVES AND CHINA BRACKETS WITH 4¼x4¼ CLINCHER BACK

Length Over All	20"	24"	30"
Shelf Rests on Brackets.....	F-560	F-561	F-562
Shelf Bolts to Brackets.....	F-565	F-566	F-567

TOWEL SUPPLY SHELVES TO SCREW TO WALL

F-850—White Glass Towel Supply Shelf 20" long x 6¾" wide, China Brackets

F-851—White Glass Towel Supply Shelf 24" long x 6¾" wide, China Brackets

F-852—White Glass Towel Supply Shelf 26" long x 6¾" wide, China Brackets

F-853—White Glass Towel Supply Shelf 28" long x 6¾" wide, China Brackets

Recessed Medicine Cabinets and Bathroom Mirrors

	Depth	Size Over All
F-5000—Medicine Cabinet.....	4"	18x24"
F-5001—Medicine Cabinet.....	4"	20x26"
F-5002—Medicine Cabinet.....	4"	22x28"
F-5003—Medicine Cabinet.....	4"	24x30"
F-7000—Medicine Cabinet.....	4½"	19x23"
F-7001—Medicine Cabinet.....	4½"	22x28"
F-7002—Medicine Cabinet.....	4½"	24x32"

	Depth	Size Over All
F-6000—Medicine Cabinet.....	4"	18x24"
F-6001—Medicine Cabinet.....	4"	20x26"
F-6002—Medicine Cabinet.....	4"	22x28"
F-6003—Medicine Cabinet.....	4"	24x30"
F-9000—Mirror.....		14x20"
F-9001—Mirror.....		16x22"
F-9002—Mirror.....		18x24"
F-9003—Mirror.....		20x26"

Look for This Fairfacts *Trade Mark*

MANUFACTURERS

THE FAIRFACTS COMPANY, Inc.

234-236 WEST 14TH STREET NEW YORK

TELEPHONE: CHELSEA { 1507 / 1508

Cable Address "FAIRFACTS" New York Codes A.B.C. Fifth Edition and Bentley's

AVERY LIBRARY COLUMBIA UNIVERSITY

AT 759 F16 1925


No. 10225
BE SURE TO ASK YOUR TILE CONTRACTOR FOR THE FAIRFACTS GUARANTEE TEE TAG ACCOMPANYING THIS FIXTURE
THE FAIRFACTS CO. Inc. 236 WEST 14th STREET, NEW YORK CITY
Guarantee Certificate
No. 10225
The Fairfacts Co. Inc.
236 WEST 14th. ST., NEW YORK
Hereby guarantees to furnish a new bathroom fixture of similar kind if this fixture, during the life of the building where it is installed, develops any stains or hair-line cracks or other imperfections in the glazed surface.
DATE INSTALLED BY
19
TILE CONTRACTOR
PRESIDENT


IMPORTANT
For your protection
BECAUSE of possible substitution of inferior fixtures which may not be detected when the fixtures are installed, every genuine Fairfacts Fixture bears this guarantee certificate, as well as a yellow and red Fairfacts label pasted on the face of the fixture. (All built-in Fixtures are not Fairfacts Fixtures.) It is extremely important that you make sure your fixtures are genuine Fairfacts.
The development of cracks in the surface of inferior fixtures due to changes in temperature or for other causes, is certain to result in stains. These stains can never be washed off or removed. The fixture is hopelessly marred. It is an expensive and difficult task to remove fixtures after they are once cemented in the walls.
By a special process, the glazed surface of Fairfacts Fixtures as well as the body of the fixture is as permanent as that of fine china. Fairfacts Fixtures are positively guaranteed without reservation not to develop cracks, or to become stained. Fairfacts Fixtures are instantly cleaned merely by wiping with a damp cloth.

CATALOGUE PRODUCED BY FRANKLIN V. SIKES, INC., NEW YORK—PRINTED IN U. S. A.

Fairfacts Fixtures

SPECIAL PROCESS

GUARANTEED
FOR THE LIFE OF A BUILDING

TRADE

MARK

NEW YORK
CHICAGO · DETROIT · LOS ANGELES
PHILADELPHIA · SAN FRANCISCO
SALT LAKE CITY · WASHINGTON, D.C.
HAVANA